

# POWER EQUIPMENT. HONDA. COM. AU



**EG3600CX** 

# The Honda EG3600CX is yet another generator powered by the advanced four-stroke engines of Honda's highly regarded GX engine line-up.

### INTRODUCTION

#### LIVING UP TO HONDA'S REPUTATION

Honda generators have a reputation for smooth and quiet operation, and the EG3600CX is no exception. Fitted with anti-vibration engine mounts and large noise-suppressing mufflers, it starts easily and reliably via its mechanical decompression system.

It features a large capacity fuel tank for extended operating time (24 litres), as well as the convenience of a fuel gauge so you'll know when you're running low.

The Honda Four-Stroke GX270 engine that powers the EG3600CX eliminates the need to mix fuel and oil, saving you time and money. It also provides superior fuel efficiency and emits significantly less carbon and noise than most of its two-stroke counterparts.

#### THE D-AVR ADVANTAGE

Stable power delivery comes courtesy of Honda's highly advanced D-AVR (Digital Auto Voltage Regulator) which uses a microcomputer to precisely control output voltage, providing high quality stable electricity.

The D-AVR offers a greater level of stability than conventional AVR types resulting in reduced load on the devices driven by the generator, increasing their life and facilitating 100% performance.

And for functionality and added safety, an AC/DC circuit breaker and oil alert light comes standard, while an easy-to-use control panel features 15 amp sockets, battery charger and circuit protector for ease of use.

#### **ROBUST AND READY TO WORK**

Equipped with a full steel frame to ensure engine protection and aid transportation, the EG3600CX is also available with an optional four wheel dolly kit.

It also features Honda's easy start technology for hassle-free starting even after long periods in storage, and operates on standard unleaded fuel.

With its high output and great fuel efficiency coming via Honda's revolutionary GX270 engine, the EG3600CX weighs only 71kg - perfect for the worksite!

#### **WARRANTY**

If you're after a generator to help you in farming, industrial work, mining, or emergency service settings, the EG3600CX will be your best mate!

And should you come into any issues, Honda's 450+ authorised dealers Australia-wide will be happy to help you out of a jam.

Of course, like all other Honda generators, the EG3600CX comes with a 4-Year Domestic Warranty, and a 1-Year Commercial Warranty.

#### **GENERATORS**

Designed and built with user convenience and environmental impact in mind, Honda generators feature advanced four-stroke engines for strong performance and fewer emissions

#### **TECHNOLOGY**

8.3 amp/12 volt DC, maximum 3600W AC

#### PERFORMANCE/USABILITY

Easy and reliable starting via the mechanical decompression system

## **SPECS**

#### **ENGINE**

ENGINE	GX270
DISPLACEMENT	270 (cc)
IGNITION SYSTEM	Transistorized magneto
OIL ALERT	Yes

Pull Start
Transistor magnet
Unleaded
1.79 (litres/hr)
11.9hr
24
LwA 97dB(A)**
**LwA refers to sound power level and is measured at rated load. This figure can only be compared to other LwA models.
3600VA
3200VA
12V-8.3A
D-AVR
240 (V)
50(Hz)
Yes
No
No

PILOT LAMP AIR CLEANER Semi Dry Type  PARALLEL OPERATIONS CONNECTION PORTS  PARALLEL OPERATIONS CONNECTION CABLE 4 WHEEL DOLLY KIT FUEL GAUGE AUTO THROTTLE NO AUTO CHOKE NO LARGE CAPACITY AIR CLEANER LARGE CAPACITY FUEL TANK  RRP S1,929  DIMENSIONS  DIMENSIONS (LXWXH)  Semi Dry Type  No AUTO CHOKE AUTO CHOK	AC CIRCUIT BREAKER	Yes
AIR CLEANER  PARALLEL OPERATIONS CONNECTION PORTS  PARALLEL OPERATIONS CONNECTION CABLE  4 WHEEL DOLLY KIT Yes  FUEL GAUGE AUTO THROTTLE NO AUTO CHOKE NO LARGE CAPACITY AIR CLEANER  LARGE CAPACITY FUEL TANK  LARGE CAPACITY MUFFLER  RRP \$1,929  DIMENSIONS  681 x 530 x 571 (mm)	DC CIRCUIT BREAKER	Yes
PARALLEL OPERATIONS CONNECTION PORTS  PARALLEL OPERATIONS CONNECTION CABLE  4 WHEEL DOLLY KIT  FUEL GAUGE AUTO THROTTLE AUTO CHOKE  LARGE CAPACITY AIR CLEANER  LARGE CAPACITY FUEL TANK  LARGE CAPACITY MUFFLER  RRP  \$1,929  DIMENSIONS  681 x 530 x 571 (mm)	PILOT LAMP	No
PARALLEL OPERATIONS CONNECTION CABLE  4 WHEEL DOLLY KIT Yes  FUEL GAUGE Yes AUTO THROTTLE No AUTO CHOKE No LARGE CAPACITY AIR CLEANER  LARGE CAPACITY FUEL TANK  LARGE CAPACITY FUEL Yes  RRP \$1,929  DIMENSIONS (LXWXH) 681 x 530 x 571 (mm)	AIR CLEANER	Semi Dry Type
CONNECTION CABLE 4 WHEEL DOLLY KIT Yes FUEL GAUGE Yes AUTO THROTTLE No AUTO CHOKE No LARGE CAPACITY AIR CLEANER LARGE CAPACITY FUEL Yes RRP \$1,929  DIMENSIONS (LXWXH) 681 x 530 x 571 (mm)	PARALLEL OPERATIONS CONNECTION PORTS	No
FUEL GAUGE AUTO THROTTLE No AUTO CHOKE No LARGE CAPACITY AIR CLEANER LARGE CAPACITY FUEL TANK LARGE CAPACITY MUFFLER RRP \$1,929  DIMENSIONS (LXWXH) 681 x 530 x 571 (mm)	PARALLEL OPERATIONS CONNECTION CABLE	No
AUTO THROTTLE  AUTO CHOKE  AUTO CHOKE  LARGE CAPACITY AIR CLEANER  LARGE CAPACITY FUEL TANK  LARGE CAPACITY MUFFLER Yes  RRP  \$1,929  DIMENSIONS  DIMENSIONS (LXWXH)  681 x 530 x 571 (mm)	4 WHEEL DOLLY KIT	Yes
AUTO CHOKE  LARGE CAPACITY AIR CLEANER  LARGE CAPACITY FUEL TANK  LARGE CAPACITY MUFFLER Yes  RRP \$1,929  DIMENSIONS  DIMENSIONS (LXWXH)  681 x 530 x 571 (mm)	FUEL GAUGE	Yes
LARGE CAPACITY AIR CLEANER  LARGE CAPACITY FUEL TANK  LARGE CAPACITY MUFFLER Yes  RRP \$1,929  DIMENSIONS  681 x 530 x 571 (mm)	AUTO THROTTLE	No
LARGE CAPACITY FUEL TANK  LARGE CAPACITY MUFFLER Yes  RRP \$1,929  DIMENSIONS  DIMENSIONS (LXWXH) 681 × 530 × 571 (mm)	AUTO CHOKE	No
TANK  LARGE CAPACITY MUFFLER Yes  RRP \$1,929  DIMENSIONS  DIMENSIONS (LXWXH) 681 x 530 x 571 (mm)	LARGE CAPACITY AIR CLEANER	Yes
RRP \$1,929  DIMENSIONS  DIMENSIONS (LXWXH) 681 x 530 x 571 (mm)	LARGE CAPACITY FUEL TANK	Yes
DIMENSIONS  DIMENSIONS (LXWXH) 681 x 530 x 571 (mm)	LARGE CAPACITY MUFFLER	Yes
<b>DIMENSIONS (LXWXH)</b> 681 x 530 x 571 (mm)	RRP	\$1,929
	DIMENSIONS	
DRY WEIGHT (KG) 71kg	DIMENSIONS (LXWXH)	681 x 530 x 571 (mm)
	DRY WEIGHT (KG)	71kg

# **VISIT HONDA POWER EQUIPMENT WEBSITE**

For terms and conditions please visit <a href="http://about.hondampe.com.au/Terms\_and\_Conditions">http://about.hondampe.com.au/Terms\_and\_Conditions</a>

The information in this document is valid as of 21/07/2016. For the most up to date information please visit http://powerequipment.honda.com.au