

LOVE
my Honda



HONDA



LAWN AND
GARDEN RANGE
2018





SOICHIRO HONDA

"We have one future and it will be made of our dreams, if we have the courage to challenge convention."

Soichiro Honda

We have lived by this philosophy since 1948, when the Honda Motor Corporation was formed. Big dreams produced a massive future. Today, Honda produces innovative and reliable products for almost every application – from lawnmowers to corporate jets. Every product is designed to make life more joyful for you and less impactful to the planet.

HONDA INNOVATION

NSX SUPER CAR

The Honda NSX is the rebirth of an icon representing the ultimate combination in power, sportiness and efficiency. Dubbed the new sports experience, it was developed under the concept of a "human-centred supercar". The NSX puts the driver first in every aspect of its design, leveraging its state-of-the-art hybrid supercar power unit, body and chassis to deliver an exceptionally intuitive and immediate response to driver inputs.



MOTORCYCLES

Our designers focus on the rider rather than the machine. We use this process to create motorcycles that win Moto GPs and perform perfectly on the daily commute. What's more, all the knowledge is shared, from 1800cc grand tourers such as the Goldwing to 50cc fun bikes such as the CRF50.



BLUE SKIES FOR OUR CHILDREN

As pioneers of environmental technologies, our engineers have been exploring ways for our children to enjoy a free and sustainable future since the company's inception. Today, sustainability is still top of our agenda. In June 2011 we pledged to cut our 2000 CO₂ emission levels from all our global products, equipment and corporate activities by 30 per cent by the end of 2020. We're also firmly committed to powering our vehicles with innovative renewable technologies wherever we can.



BLUE SKIES FOR
OUR CHILDREN

HONDAJET

We push the boundaries of human mobility whether it's on the road, on the track or in the sky. In 1997 a thought became a sketch. Instead of putting the engines below the wing, we put them above it. By 2000 HondaJet had progressed to the point that a new research facility was established exclusively for its development. Today, HondaJet is in the air. With its all-composite fuselage, it is lighter, quieter, more fuel efficient and emits as little as 40 per cent of the pollutants of comparable aircraft.



ASIMO

Back in 1986, our engineers created ASIMO: the world's most advanced humanoid robot. ASIMO cleverly recreates human motion to walk and run on slopes and uneven surfaces. It can make smooth turns, climb stairs and pick up objects. ASIMO can even respond to simple voice commands and recognise the faces of a select group of individuals. Using its camera eyes, ASIMO can even skillfully map its environment to navigate around stationary and moving objects.



WORLD'S LARGEST ENGINE MANUFACTURER

Honda is the world's largest manufacturer of engines. For the fiscal year ending March 2017, Honda produced and marketed more than 28.8 million units globally for a diverse array of automotive, motorcycle, marine and power equipment products. Honda offers a complete line of small, general purpose engines for commercial, rental industry and consumer applications. Honda engines are some of the quietest and easiest to start of their kind, even in harsh commercial and construction environments. These attributes have made Honda engines the popular choice for original equipment manufacturers looking to add value to their own brands.





QUIETER AND CLEANER

Honda 4-Stroke engines are lower pitched, quieter and emit less CO emissions than 2-Stroke engines. Plus, they're built stronger to last longer.

4-STROKE ADVANTAGE

HONDA



STRONGER | CLEANER | QUIETER | STARTS-FIRST-TIME
4 YEAR WARRANTY

Standard on all Honda products

NO FUEL MIXING

4-Stroke engines run on unleaded fuel meaning you'll never have to mix oil and petrol ever again!



STARTS FIRST TIME

It's OUR reputation to make sure our products Start First Time, Every Time.



BETTER FUEL ECONOMY

Engineered to the highest levels, tested in harsh Australian conditions and built to last.

WARRANTY

Backed by more than 400+ Honda Specialist Dealers Australia wide, each Honda product offers extensive warranties ensuring peace of mind the next time you upgrade to a Honda.

DOMESTIC RANGE



HRU19K1/M1 PUSH MOWER ENGINE BRAKE

- Ideal for medium lawns and the residential user
- Added safety with Honda's Engine Brake Technology
- Reliable 4-Stroke GCV160 engine
- Rustproof aluminium 19" cutter deck
- 60 litre Dacron grass bag
- Mulching function only available on the HRU19M1
- 4 year warranty*



HRU19K1PKUA / HRU19M1PKUA

SALE
CHECK IN STORE
FOR DETAILS!



Conditions apply

HRS216PKU SIDE CHUTE ENGINE BRAKE

4-STROKE
RRP **\$699**

- Ideal for small to medium lawns and the residential user
- Added safety with Honda's Engine Brake Technology
- Reliable 4-Stroke GCV160 engine
- Rugged yet lightweight solid steel 21" cutter deck
- Side discharge chute
- Mulching function
- 2 year warranty†



HRS216K5PKUA

HRE370 ELECTRIC

RRP **\$399**

- Ideal for manicuring small size lawns and the residential user
- Reliable and powerful 1.3kW electric motor
- Lightweight 14.5" polymer deck
- 35 litre Dacron grass bag
- 4 year warranty*



HRE370A2PLE

HRR216PKU PUSH MOWER ENGINE BRAKE

4-STROKE
RRP **\$699**

- Ideal for medium lawns and the residential user
- Added safety with Honda's Engine Brake Technology
- Reliable 4-Stroke GCV160 engine
- Rugged yet lightweight solid steel 21" deck
- 3-in-1 System with Clip Director® – mulch, bag and discharge
- MicroCut® Twin Blades for improved mulching performance
- 66 litre grass bag
- 2 year warranty†



HRR216K9PKUA

HRR216VKU SELF PROPELLED ENGINE BRAKE

4-STROKE
RRP **\$799**

- Ideal for medium lawns and the residential user
- Added safety with Honda's Engine Brake Technology
- Reliable 4-Stroke GCV160 engine
- Self propelled, variable speed Smart Drive
- Rugged yet lightweight solid steel 21" cutter deck
- 66 litre Dacron grass bag
- 3-in-1 System with Clip Director® – mulch, bag and discharge
- MicroCut® Twin Blades for improved mulching performance
- 2 year warranty†



HRR216K9VKUA

HRR216VYU SELF PROPELLED BLADE BRAKE

4-STROKE
RRP **\$899**

- Ideal for medium lawns and the residential user
- Added safety with Honda's Blade Brake Technology
- Reliable 4-Stroke GCV160 engine
- Self propelled, variable speed Smart Drive
- Rugged yet lightweight solid steel 21" cutter deck
- 66 litre grass bag
- 3-in-1 System with Clip Director® – mulch, bag and discharge
- MicroCut® Twin Blades for improved mulching performance
- 2 year warranty†



HRR216K9VYUA

PREMIUM RANGE

HRX217HYU SELF PROPELLED BLADE BRAKE

4-STROKE
RRP **\$1299**

- Ideal for medium to large lawns and the residential user
- Added safety with Honda's Blade Brake Technology
- Reliable 4-Stroke GCV190 engine
- Self-propelled, hydrostatic cruise control
- Rustproof and impact resistant 21" NeXite® Deck
- 88 litre grass bag
- 4-in-1 Versamow System™ with Clip Director® – mulch, bag, discharge and leaf shred
- MicroCut® Twin Blade System for improved mulching performance
- 2 year warranty!



HRX217K5HYUA

HRX217HZU ELECTRIC START BLADE BRAKE

4-STROKE
RRP **\$1499**

- Ideal for medium to large lawns and the residential user
- Added safety with Honda's Blade Brake Technology
- Reliable 4-Stroke GCV190 engine
- Self-charging electric start
- Self-propelled, hydrostatic cruise control
- Rustproof and impact resistant 21" NeXite® Deck
- 88 litre grass bag
- 4-in-1 Versamow System™ with Clip Director® – mulch, bag, discharge and leaf shred
- MicroCut® Twin Blades for improved mulching performance
- 2 year warranty!



Battery charger: L08BATA351MA

HRX217K5HZUA

LAWNMOWER FEATURES



NeXite® Deck

Extremely tough polymer material that will never rust, resists corrosion and abrasion and is super strong. HRX models only.



Steel Deck

Rugged, durable steel deck is designed for long life. HRS, HRR and HRC models only.



Electric Start

Effortless self-charging key start, to reduce the need for "plug-in" charging. HRX217HZU only.



Mow Safe – Engine Brake

A safety feature that stops the blades and engine within 3 seconds upon release of the handle.



Mow Safe – Blade Brake

A safety feature that stops the blades within 3 seconds upon release of the handle, while the engine continues to run.



Side Chute

Unique to the HRS model, the side chute system means no wasted time emptying a grass catcher. HRS216PKU only.



4-in-1 Versamow System™ with Clip Director®

Honda's revolutionary Versamow System™ allows you to mulch, bag, discharge and shred leaves – or even a combination of mulching and bagging! Just slide the convenient Clip Director® knob to choose how much grass is bagged or mulched. No tools or costly attachments are needed. It's the ultimate in convenience and versatility. HRX models only.



3-in-1 System with Clip Director®

Slide the Clip Director® to switch from mulching to bagging or discharge with just one touch. No need for a mulch plug or other attachments. HRR models only.



MicroCut® Twin Blade System

Honda's exclusive MicroCut® Twin Blade System uses four cutting surfaces that result in ultra fine clippings for superior mulching and up to 30% more clippings per bag. HRR, HRX and HRC models only.



Smart Drive

Easily adjust the mower's speed to your pace by rotating the control. Five position adjustable control for comfort. Variable speed from 0–6.5km/h. HRR216VKU and HRR216VYU models only.



Hydrostatic Cruise Control

Honda's Hydrostatic Cruise Control allows precise speed control that's fully adjustable from 0–6.5km/h. HRX models only.



Easy Fold Handle

Easily adjust the handle to different comfortable mowing positions, or fold over for storage. HRS, HRR and HRX models only.

HONDA

COMMERCIAL RANGE



HRU196 HONDA HERITAGE ENGINE BRAKE

4-STROKE
\$1149
RRP

- Ideal for medium to large lawns and the serious contractor
- Added safety with Honda's Engine Brake Technology
- Reliable 4-Stroke GXV160 engine
- Rustproof aluminium 19" cutter deck with full open rear chute
- 54 litre polymer catcher
- Mulching function
- 4 year warranty*



HRU196MIPWUY (Heritage)

COMMERCIAL RANGE



HRU196M1 LONG RANGE PUSH MOWER BLADE BRAKE

4-STROKE
\$1169
RRP

- Ideal for medium to large lawns and the serious contractor
- Added safety with Honda's Blade Brake Technology
- Reliable 4-Stroke GXV160 engine
- Rustproof aluminium 19" cutter deck
- Long range 65 litre Dacron grass bag
- Mulching function
- Snorkel kit
- 4 year warranty*

BUFFALO
LONG RANGE



HRU196M1PBUX

HRU196M1 PUSH MOWER BLADE BRAKE

4-STROKE
\$1169
RRP

- Ideal for medium lawns and the serious contractor
- Added safety with Honda's Blade Brake Technology
- Reliable 4-Stroke GXV160 engine
- Rustproof aluminium 19" cutter deck
- 60 litre Dacron grass bag
- Mulching function
- Snorkel kit
- 4 year warranty*



HRU196M1PBUH

HRC216PDU PUSH MOWER ENGINE BRAKE

4-STROKE
\$1199
RRP

- Ideal for large lawns and the serious contractor
- Added safety with Honda's Engine Brake Technology
- Reliable 4-Stroke GSV160 engine
- Rugged yet lightweight solid steel 21" cutter deck
- Large NeXite® wheels improve manoeuvrability and durability
- 88 litre grass bag
- MicroCut® Twin Blades for improved mulching performance
- Mulching function
- 2 year warranty†

HONDA
MOW-SAFE®
TECHNOLOGY



HRC216K3PDUA

HRU216M2 SELF PROPELLED BLADE BRAKE

4-STROKE
\$1749
RRP

- Ideal for large lawns and the serious contractor
- Added safety with Honda's Blade Brake Technology
- Reliable 4-Stroke GXV160 engine
- Rustproof aluminium 21" cutter deck
- 70 litre Dacron grass bag
- Mulching function
- Self-propelled operating with a 3-speed gear box
- Snorkel kit
- 4 year warranty*



HRU216M2TBUH

AIR FILTERS



HRU19, HRU197, HRC216 Models
17211-ZL8-023 **\$8.70**
HRR, HRS, HRX Models
17211-Z8B-901 **\$8.08**



HRU196 & HRU216 Models
17210-Z1V-003 **\$31.90**



ENGINE OIL

200mL / L1002-P08-007: **\$9.13**
1 Litre / L1002-P08-001: **\$12.60**
4 Litre / L1002-P08-006: **\$39.30**



LAWNMOWER BLADES

HRU 19" Swing Back Blade
2 Blade Kit From **\$14.94**
HRU 19" Swing Back Blade
4 Blade Kit From **\$28.40**



HRS Blade
72511VG3000 **\$25.03**
HRC Upper Blade
72531VK6010 **\$28.72**
HRC Lower Blade
72511VK6000 **\$35.33**
HRR, HRX Upper Blade
72531VH7000 **\$27.26**
HRR Lower Blade
72511VL0S00 **\$39.38**
HRX Lower Blade
72511VH7000 **\$30.62**



All prices listed include GST and are recommended retail prices only.
There is no obligation to comply with the recommendation.

LAWNMOWER SPECIFICATIONS



	DOMESTIC RANGE						
Product Code	HRE370	HRU19K1	HRU19M1	HRS216PKU	HRR216PKU	HRR216VKU	HRR216VYU
	ELECTRIC	PUSH MOWER	PUSH MOWER	SIDE CHUTE	PUSH MOWER	SELF PROPELLED	SELF PROPELLED
Mow Safe Technology	Engine Brake	Engine Brake	Engine Brake	Engine Brake	Engine Brake	Engine Brake	Blade Brake
Engine	1.3kW AC	GCV160	GCV160	GCV160	GCV160	GCV160	GCV160
Engine Spec	Electric	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC	OHV/OHC
Auto Choke	–	Yes	Yes	Yes	Yes	Yes	Yes
Snorkel	No	No	No	No	No	No	No
Chassis	Polymer	Aluminium Alloy	Aluminium Alloy	Solid Steel	Solid Steel	Solid Steel	Solid Steel
Cutting Width	14.5" (368mm)	19" (470mm)	19" (470mm)	21" (530mm)	21" (530mm)	21" (530mm)	21" (530mm)
Cutting Height Adjustment	1 Lever	1 Lever	1 Lever	4 Wheels	4 Wheels	4 Wheels	4 Wheels
Cutting Height Range	5 stages 18–65mm	11 stages 16–75mm	11 stages 16–75mm	6 stages 30–100mm	6 stages 30–100mm	6 stages 30–100mm	6 stages 30–100mm
Self Propelled	No	No	No	No	No	Yes	Yes
Speeds	Push	Push	Push	Push	Push	Variable	Variable
Wheel Diameter (mm)	160	200	200	200	200	200	200
Grass Catcher	Dacron Bag	Dacron Bag	Dacron Bag	Yes	Yes	Yes	Yes
Catcher Capacity	35 Litres	60 Litres	60 Litres	–	66 Litres	66 Litres	66 Litres
Fuel Type	–	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
Fuel Tank Capacity	–	0.91 Litres	0.91 Litres	0.91 Litres	0.93 Litres	0.93 Litres	0.93 Litres
Mulching Capability	–	No	Yes	Yes	Yes	Yes	Yes
Rear Discharge Capability	–	Yes	Yes	No	Yes	Yes	Yes
Wash Port	–	Yes	Yes	No	No	No	No
Mower Code	HRE370A2PLE	HRU19K1PKUA	HRU19M1PKUA	HRS216K5PKUA	HRR216K9PKUA	HRR216K9VKUA	HRR216K9VYUA
RRP	\$399	ASK IN STORE!	ASK IN STORE!	\$699	\$699	\$799	\$899

LAWNMOWER SPECIFICATIONS

HONDA

PREMIUM RANGE		COMMERCIAL RANGE				
HRX217HYU	HRX217HZU	HRU196/HERITAGE	HRC216PDU	HRU196M1	HRU196M1/ LONG RANGE	HRU216M2
SELF PROPELLED	ELECTRIC START	PUSH MOWER	PUSH MOWER	PUSH MOWER	PUSH MOWER	SELF PROPELLED
Blade Brake	Blade Brake	Engine Brake	Engine Brake	Blade Brake	Blade Brake	Blade Brake
GCV190	GCV190	GXV160	GSV160	GXV160	GXV160	GXV160
OHV/OHC	OHV/OHC	OHV with Cast-Iron Bore	OHV/OHC with Cast-Iron Bore	OHV with Cast-Iron Bore	OHV with Cast-Iron Bore	OHV with Cast-Iron Bore
Yes	Yes	No	No	No	No	No
No	No	Yes	No	Yes	Yes	Yes
NeXite®	NeXite®	Aluminium Alloy	Solid Steel	Aluminium Alloy	Aluminium Alloy	Aluminium Alloy
21" (530mm)	21" (530mm)	19" (470mm)	21" (530mm)	19" (470mm)	19" (470mm)	21" (530mm)
4 Wheels	4 Wheels	0 Lever	4 Wheels	1 Lever	1 Lever	1 Lever
7 stages 19–100mm	7 stages 19–100mm	11 stages 16–75mm	8 stages 19–100mm	11 stages 16–76mm	11 stages 16–75mm	11 stages 16–76mm
Yes	Yes	No	No	No	No	Yes
Variable	Variable	Push	Push	Push	Push	3 speeds
230	230	200	230	200	200	200
Yes	Yes	Polymer Catcher	Yes	Dacron Bag	Dacron Bag	Dacron Bag
88 Litres	88 Litres	54 Litres	88 Litres	60 Litres	65 Litres	70 Litres
Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded	Unleaded
0.93 Litres	0.93 Litres	1.5 Litres	1.1 Litres	1.5 Litres	1.5 Litres	1.5 Litres
Yes	Yes	Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes	Yes	Yes
No	No	No	Yes	Yes	Yes	Yes
HRX217K5HYUA	HRX217K5HZUA	HRU196M1PWUY	HRC216K3PDUA	HRU196M1PBUH	HRU196M1PBUX	HRU216M2TBUH
\$1299	\$1499	\$1149	\$1199	\$1169	\$1169	\$1749

BRUSHCUTTERS AND ACCESSORIES



WORLD'S
BEST SELLING
4-STROKE
BRUSHCUTTER

UMS425 BENT SHAFT

- Generation II 25cc Mini 4-Stroke OHV/OHC commercial grade engine
- Easy to use 'tap and go' nylon head
- Price includes safety goggles

WAS \$399

NOW
\$299⁺
4-STROKE

SAFETY GEAR



FACE SHIELD KIT

Kit includes clear visor AS/NZS 13371:2010, mesh visor and earmuffs AS/NZS 1270:2002.
Part no: L08VE008R

\$67.60



POWER EQUIPMENT POLO

150gsm lightweight fabric. Aircell mesh under arms for breathability. Moisture wicking properties to help keep you drier and cooler.
Part no: L08PS004P

\$49.99



CONTRACTOR HI-VIS VEST

Adjustable Velcro sides – one size fits all.
Part no: L08VT400HVPE

\$18.00



BRUTILITY GARDENING GLOVES

Comfortable and versatile gloves for all your gardening work.
Part no: L08GL020

\$19.75



SAFETY CHAPS

Tough polyester outer with comfortable poly cotton lining; provides the ultimate leg protection.
Part no: L08BC007B

\$61.05

*Offer running until 31/03/2018 or while stocks last.

UMK425 LOOP HANDLE

4-STROKE
RRP **\$499**

- Generation II 25cc Mini 4-Stroke OHV/OHC commercial grade engine
- Anti vibration engine mount
- Heavy duty 'tap and go' nylon line head
- Safety goggles and a single operator harness included
- Optional blade kit available
- 4 year warranty*



UMK435 LOOP HANDLE

WAS \$789

**NOW
\$729⁺**
4-STROKE

- Generation II 35cc Mini 4-Stroke OHV/OHC commercial grade engine
- Anti vibration engine mount
- Heavy duty 'tap and go' nylon line head
- Safety goggles and a single operator harness included
- 4 year warranty*



**FREE 4-TOOTH
BLADE & KIT**

*Offer running until 31/03/2018 or while stocks last.

UMK425 BIKE HANDLE

WAS \$759

**NOW
\$679⁺**
4-STROKE

- Generation II 25cc Mini 4-Stroke OHV/OHC commercial grade engine
- Anti vibration engine mount
- Heavy duty 'tap and go' nylon line head
- Safety goggles and a full operator harness included
- 4 year warranty*



**FREE 4-TOOTH
BLADE & KIT**

*Offer running until 31/03/2018 or while stocks last.

UMK435 BIKE HANDLE

WAS \$829

**NOW
\$799⁺**
4-STROKE

- Generation II 35cc Mini 4-Stroke OHV/OHC commercial grade engine
- Anti vibration engine mount
- Heavy duty 'tap and go' nylon line head
- Safety goggles and a full operator harness included
- 4 year warranty*



**FREE 4-TOOTH
BLADE & KIT**

*Offer running until 31/03/2018 or while stocks last.

HEDGETRIMMER ATTACHMENT

The Hedgetrimmer attachment is purposely designed to attach to Honda's straight shaft (UMK425/UMK435) brushcutter.

Part no: 06260VL6000AU



\$345
RRP

PRUNER ATTACHMENT

Coupled with Honda's straight shaft (UMK425/UMK435) brushcutter, the pruner attachment is designed for trimming and cutting high branches in commercial and domestic applications.

Part no: 06250VL6000AU



\$345
RRP

OTHER ACCESSORIES AVAILABLE – CHECK IN STORE OR ONLINE FOR FURTHER DETAILS



NEW TRIMMER LINE

Round Trimmer Line

2.4 x 125G L1024UMK125RD **\$9.90**
2.4 x 225G L1024UMK225RD **\$15.40**

Star Trimmer Line

2.4 x 125G L1025UMK125SR **\$9.90**
2.4 x 225G L1024UMK225SR **\$15.40**

Silent Trimmer Line

2.4 x 125G L1024UMK125ST **\$9.90**
2.4 x 225G L1024UMK225SR **\$15.40**



All prices listed include GST and are recommended retail prices only. There is no obligation to comply with the recommendation.

HANDHELD RANGE

HHB25 BLOWER

4-STROKE
RRP **\$499**

- Environmentally friendly with whisper quiet operation, low emissions and fuel consumption
- 25cc Mini 4-Stroke engine with throttle cruise control vibration isolation handling
- Unique anti-suction fan cover
- Wind velocity up to 252km/h
- Air volume 630m³/h
- 4 year warranty*



HHH25D HEDGE CUTTER

4-STROKE
RRP **\$799**

- Environmentally friendly with whisper quiet operation, low emissions and fuel consumption
- 25cc Mini 4-Stroke engine
- 3-way, 2-motion adjustable rear handle
- Double sided blade with 720mm cutting length
- 2-motion throttle trigger
- 4 year warranty*



1. SELECT POWERHEAD

UMC425/UMC435 POWER HEAD

- Powered by Honda's famous 4-Stroke 25cc or 35cc engines
- UMC425 suitable for the residential user
- UMC435 suitable for the contractor
- Delivers 'starts-first-time every-time' reliability and superior performance
- 4 year warranty*



WAS \$529
UMC425
NOW \$479[†]
25CC

WAS \$629
UMC435
NOW \$579[†]
35CC


*Offer running until 31/03/2018 or while stocks last.

2. SELECT ATTACHMENTS

BRUSHCUTTER

\$199
RRP

- Designed for cutting and clearing, making lawn maintenance easy
- Ergonomically designed easy-grip loop handle
- Durable 'tap and go' nylon head



CULTIVATOR

\$399
RRP

- Makes tilling, aerating and cultivating of soil easy
- 170mm width makes the cultivation of garden plots and lawns simple and stress-free



HEDGETRIMMER (SHORT SHAFT)

\$379
RRP

- A lighter, more compact version of the Hedgetrimmer (Long Shaft)
- Perfect for the domestic operator
- Features a 550mm double-sided blade with a 90mm shaft length



BLOWER

\$199
RRP

- One of the most compact and lightweight blower attachments available
- Easily keeps garden paths, driveways, lawns and verandas free of leaves and debris



HEDGETRIMMER (LONG SHAFT)

\$399
RRP

- Longer attachment designed for trimming foliage and tall hedges
- Perfect for the commercial contractor



EDGER

\$239
RRP

- The perfect tool to keep unsightly weeds and grass from popping up
- Easy-to-use adjustable height mechanism



PRUNER

\$379
RRP

- Designed for trimming, pruning and cutting high branches
- Features a 12" bar length with a 3/8" Oregon saw chain
- Suitable for domestic and commercial settings



EXTENSION POLE

\$129
RRP

- Lightweight extension pole allows for more reach with an extra 1085mm length
- Suitable for the Pruner and Hedgetrimmer (Short Shaft) attachments



TILLER RANGE



FG110

4-STROKE
RRP **\$799**

- Powered by Generation II 25cc Mini 4-Stroke engine
- Fold over handles for convenience
- Tilling width 230mm
- Tilling depth 203mm
- 4 year domestic warranty*



FG110 OPTIONAL ACCESSORIES



Edger
06728V25000



Aerator
06727V25000



De-Thatcher
06729V25000



Heavy-Duty Digging Tines
06726V25010

F220

4-STROKE
RRP **\$1499**

- Powerful GXV57 4-Stroke engine
- Multi-step adjustable handles
- Tilling depth 280mm
- Tine width 545mm
- 4 year domestic warranty*



F501

4-STROKE
RRP **\$2169**

- Powerful GX160 4-Stroke engine
- 2 forward gears and 1 reverse
- Tilling depth 280mm
- Tine width 914mm
- 4 year domestic warranty*



FR750

4-STROKE
RRP **\$4359**

- GX200 manual start 4-Stroke engine
- 2 forward gears and 1 reverse
- Tilling depth 120mm
- Tine width 600mm
- 4 year domestic warranty*



Counter Rotating Tines



FRC800

4-STROKE
RRP **\$3819**

- Big GX240 4-Stroke engine
- 3 forward gears and 1 reverse
- Tilling depth 100mm
- Tine width 508mm
- 4 Year domestic warranty*



VOLUME PUMPS

WX10

- Economical 1" volume pump
- Maximum total head 37m
- Maximum suction head 8m
- Delivers 120L/min capacity



4-STROKE
\$499
RRP

WX15

- Economical 1.5" volume pump
- Maximum total head 37m
- Maximum suction head 8m
- Delivers 280L/min capacity



4-STROKE
\$699
RRP

WB20

- Portable 2" volume pump
- Maximum total head 32m
- Maximum suction head 8m
- Delivers 620L/min capacity



4-STROKE
\$799
RRP

WB30

- Portable 3" volume pump
- Maximum total head 28m
- Maximum suction head 8m
- Delivers 1100L/min capacity



4-STROKE
\$999
RRP

WT20

- Portable 2" trash pump
- Maximum total head 30m
- Maximum suction head 8m
- Delivers 710L/min capacity



4-STROKE
\$1999
RRP

WT30

- Portable 3" trash pump
- Maximum total head 27m
- Maximum suction head 8m
- Delivers a massive 1210L/min capacity



4-STROKE
\$2299
RRP

ENGINES

GX MINI 4-STROKE

- Five models to choose from, including 25cc and 35cc variations
- Fully inclinable OHC engine



GC & GCV SERIES

- Three variants to choose from
- Horizontal and vertical shaft available
- OHC domestic engine



GX SERIES

- More than 70 model variants to choose from
- Horizontal shaft
- OHV commercial engine



GXV SERIES

- Three horsepower models to choose from
- Vertical shaft engines
- OHV commercial engine



GX V-TWIN SERIES

- New generation V-twins
- Three horsepower choices, seven models
- OHV commercial engine



GP SERIES

- 160cc
- Perfect for light use and domestic applications



CHOOSING THE RIGHT GENERATOR

3-STEP PROCESS TO ENSURE YOU GET THE RIGHT GENERATOR

1 WHAT DO YOU WANT TO POWER?

Whether you have a small caravan or something a little more substantial, knowing your appliance ratings is going to help you in the long run. Write a list of all the appliances that you want to have running at one time. Then find out the ratings of each appliance. You need to take into account start-up power.

2 FACTOR IN START UP POWER

Start-up power is simply the power an appliance needs to begin operating. Appliances that run an electric motor (air conditioners, drills and sanders) can require 3-4 times the operating load but this is usually only needed for a very short period. Check the compliance plate on the unit for specifications.

3 PICK THE GENERATOR THAT SUITS YOUR NEEDS

If you look at your list, there's a high chance that you're not going to need everything running at once. A kettle draws a lot of power but only runs for a minute or so, it won't hurt to turn off some appliances while the kettle boils. Just make sure you have the essentials covered. Let's say your total running power requirement is 1500W, with a start-up power requirement of 1900W, then the Honda EU22i Generator will be the right fit.

If you are unsure, consult your Authorised Honda Dealer.



Air conditioning units for caravans

If your caravan has an air conditioner then you need to make sure your generator can handle the power required for different situations. If you are in warmer climates trying to make your caravan cooler, then your air conditioning system is going to work harder, and therefore require more watts. Check with your manufacturer what the maximum operating load that the air conditioner will require is and pick a generator that will suit.

EU10i

4-STROKE
RRP **\$1499**

- Maximum output 1000W/240 volt AC and 8 amp DC to run appliances and charge automotive batteries simultaneously
- Whisper-quiet operation from 52dB(A)
- Delivers better than commercial quality electricity
- Delivers greater fuel efficiency via the built-in Eco-Throttle
- Engine is protected via low oil alert system
- Up to 8 hours of continuous operation on a full fuel tank
- Lightweight 13kg



EU30iU HANDY

4-STROKE
RRP **\$3359**

- Maximum output 3000W/240 volt AC and 8.3 amp DC to run appliances and charge automotive batteries simultaneously
- Whisper-quiet operation from 57dB(A)
- Delivers better than commercial quality electricity
- Starts first time, every time
- Up to 7.7 hours of continuous operation on a full fuel tank
- Delivers greater fuel efficiency via the built-in Eco-Throttle
- New high-speed multi-point alternator is integrated into the engine to reduce size and weight
- Low oil alert system protects engine
- Lightweight for easy transportation – weighs only 35kg
- Easy use handle and high mobility tyres



EU30is –
ELECTRIC START

4-STROKE
RRP **\$4199**

- Maximum output 3000W/240 volt AC and 12 amp DC to run appliances and charge automotive batteries simultaneously
- Whisper-quiet operation from 52dB(A)
- Delivers better than commercial quality electricity
- Up to 20 hours of continuous operation on a full fuel tank
- Delivers greater fuel efficiency via the built-in Eco-Throttle
- Low oil alert system protects engine
- Lightweight for easy transportation – weighs only 59kg
- Hassle-free push-button electric start



EU70is

4-STROKE
RRP **\$6599**

- Maximum output 7000W/240 volt AC
- Hassle-free push-button electric start
- Greater performance via automatic Eco-Throttle
- Easy storage and transport with a one push 'H' shaped fold down handle and large diameter wheels
- Better than commercial quality electricity thanks to microcomputer controlled Sine Wave Inverter
- Up to 18 hours of continuous operation on Eco-Throttle
- Whisper-quiet operation from LwA 90dB(A)



Lifting kit: 06531Z11E00ZA
Wired remote control cable:
10m – 32380Z37800ZA
30m – 32380Z37820ZA

SUPER QUIET GENERATORS

The world's best selling leisure generator just got a whole lot better! With 200W MORE power, the all-new Honda EU22i Generator can power more than ever before. Used for leisure, back-up power and for the job site, it really packs a punch!

NEW

EU22i GENERATOR

4-STROKE
\$2099
RRP

- Maximum output of 2200W/240 volt AC and 8.3 amp DC to run appliances and charge automotive batteries simultaneously
- Delivers better than commercial quality electricity
- Delivers greater fuel efficiency via the built-in Eco-Throttle*
- Engine is protected via low oil alert system
- Increased diameter of oil filler for improved draining and catching of oil
- Improved recoil starter handle with new metal guard
- Up to 8 hours of continuous operation on Eco-Throttle*
- Whisper-quiet operation from LwA 91dB(A)**
- Lightweight: 21kg
- Reliable 4-Stroke GXR120 engine
- Engine 20% larger than the EU20i Generator
- Revs lower @1600w than the EU20i Generator



IMPROVED
OIL ACCESS

NEW
RECOIL
ROPE
GUARD

RUN DRY
SWITCH

200W
MORE
POWER



*With Eco-Throttle switched on when rated at 1/4 output. Usage applications are recommendations only.
**LwA refers to sound power level and is measured at rated load. This figure can only be compared to other LwA models.

INDUSTRIAL GENERATORS



EM10000

4-STROKE
RRP **\$5990**

- Maximum output 9000W/240 volt AC
- 6.5 hours continuous operation on a full fuel tank when operated at rated load (8kVA)
- Enhanced product competitiveness by V-Twin engine that offers more fuel economy and less noise
- Extended operating time with a large capacity 31 litre fuel tank
- Easy-to-use control panel featuring 3 x 15 amp 240 volt outlets, 1 x 60 amp 240 volt outlet (plug included)



EP2200CX

4-STROKE
RRP **\$1099**

- Maximum output 2200W/240 volt AC
- Stable power source via Honda's Automatic Voltage Regulator (AVR) System
- Extended operating time with large capacity 14.5 litre fuel tank featuring a fuel gauge
- Easy-to-use control panel featuring 15 amp sockets, 8.3 amp battery charger and circuit breaker
- Weighs 45kg



EM30

4-STROKE
RRP **\$1999**

- Maximum output 3000W/240 volt AC
- Quiet operation at 68dB(A)
- Can run appliances and charge batteries simultaneously
- Weighs 31kg
- Up to 6 hours of continuous operating on a full fuel tank



HONDA CYCLO-CONVERTER TECHNOLOGY

Honda's Cyclo-Converter Generator model offers power that is equal in quality to AVR (Automatic Voltage Regulator) generators but is dramatically lighter. This lighter weight is achieved by reducing the number of traditional parts with a CPU (Central Processing Unit). Honda Cyclo-Converter Technology offers the best power-to-weight ratio available anywhere. This is found on the EM30 model only.

EG3600CX

4-STROKE
RRP **\$1929**

- Maximum output 3600W/240 volt AC
- Strengthened electric performance with D-AVR (Digital Auto Voltage Regulator)
- Extended operating time with large capacity 24 litre fuel tank and gauge
- Easy-to-use control panel featuring 15 amp sockets, 8.3 amp battery charger and circuit breaker
- Weighs 71kg



Wheel kit: 06710Z22A30

EG4500CX

4-STROKE
RRP **\$2089**

- Maximum output 4500W/240 volt AC
- Strengthened electric performance with D-AVR (Digital Auto Voltage Regulator) with inverter-like stable voltage
- Easy and reliable starting via the mechanical decompression system
- Fully welded steel frame
- Weighs 83kg



Wheel kit: 06710Z22A30
Lifting parts: Hanger 53150Z22E30ZA x 1
Bracket 53154Z22E30ZA x 2
Bolts 957010801607 x 4

EG5500CX &
EG5500CXS

EG5500CX
RRP **\$2399**

EG5500CXS - ELECTRIC START
RRP **\$2799**

- Maximum output 5500W/240 volt AC
- High output performance and fuel efficiency via Honda's revolutionary GX390 engine
- Strengthened electric performance with D-AVR (Digital Auto Voltage Regulator) with inverter-like stable voltage
- Reduced noise and vibration levels with large 'silent' muffler and anti-vibration engine mounts
- Extended operating time with large capacity 24 litre fuel tank and fuel gauge
- Easy and reliable starting via the mechanical decompression system and electric start (available on EG5500CXS model only. Battery not included)
- Added equipment and engine protection with AC/DC circuit breakers and oil alert
- Weighs 84kg (5500CX) and 87kg (5500CXS), and has a convenient full frame ideal for easy transportation and engine protection

- Easy-to-use control panel featuring 15 amp sockets, 8.3 amp battery charger and circuit breaker
- Fully welded steel frame



Wheel kit: 06710Z22A30
Lifting parts: Hanger 53150Z22E30ZA x 1
Bracket 53154Z22E30ZA x 2
Bolts 957010801607 x 4

SPECIFICATION CHART

HONDA

> MODEL	> EU20	> EU22i NEW	> EU30i Handy	> EU30i	> EU30i
Engine	GXH50T	GXR120	GX160K1	GX200	GX390
Fuel Tank Capacity	2.1 Litres	3.6 Litres	5.9 Litres	13 Litres	19.2 Litres
Continuous Operating Hours	8hr"/4hr	8hr"/4hr	77hr"/3.5hr	20hr"/7.1hr	18hr"/6.5hr
Operating Noise Level (at 7m)	52dB(A)"/58dB(A)	*	57dB(A)"/65dB(A)	52dB(A)"/65dB(A)	*
Sound Power Level (at LwA)	*	LwA 91dB(A)**	*	*	LwA 90dB(A)**
> GENERATOR					
Max. AC Output (power factor 1.0)	1000VA	2200VA	3000VA	3000VA	7000VA
Rated AC Output	900VA	1800VA	2600VA	2800VA	5500VA
DC Rated Output for charging Automotive Batteries only	8A	8.3A	8.3A	12A	N/A
> DIMENSIONS					
LxWxH (mm)	451x242x379	511x290x425	622x379x489	658x447x558	848x700x721
Dry weight	13kg	21kg	35.2kg	59kg (w/battery)	118kg (w/battery)
> FEATURES					
Electric Starter	*	*	*	*	*
Voltage Regulation	Inverter	Inverter	Inverter	Inverter	Inverter
Voltmeter	No	No	No	No	Yes
AC Circuit Protector	*	*	*	*	*
DC Circuit Protector	*	*	*	*	*
Pilot Lamp	Yes	Yes	*	Yes	Yes
Fuel Gauge	No	No	No	Yes	Yes
Oil Alert	*	*	*	*	*
Auto Throttle	Eco-Throttle	Eco-Throttle	Eco-Throttle	Eco-Throttle	Eco-Throttle
Auto Choke	No	No	No	No	*
Large Capacity Air Cleaner	Yes	Yes	Yes	Yes	Yes
Large Capacity Fuel Tank	Yes	Yes	Yes	Yes	Yes
Large Capacity Muffler	Yes	Yes	Yes	Yes	Yes
4 Year Domestic Warranty*	Yes	Yes	Yes	Yes	Yes

Operating Noise Level Calculation

LwA refers to sound power level and is measured at rated load, which is standardised by EU noise regulation. It is measured from 6 directions by a microphone placed 4 metres from the product in a closed anechoic room.

This room is not affected by environmental conditions.

dB refers to sound pressure level and is measured from 4 directions (front, back, right and left) by a microphone that is placed 7 metres from the product and 1.5 metres from the lawn ground.

It is not measured in a closed room. Therefore, the data is affected by environmental conditions such as temperature.

> MODEL	> EM30	> EP2200CX	> EG3600CX	> EG4500CX	> EG5500CX/CXS	> EM10000
Engine	GX200	GX160	GX270	GX340	GX390	GX630
Fuel Tank Capacity	10.2 Litres	14.5 Litres	24 Litres	24 Litres	24 Litres	31 Litres
Continuous Operating Hours	6hr	12.8hr	11.9hr	9.5hr	6.5hr	6.5hr
Operating Noise Level (at 7m)	68dB(A)	66dB(A)	*	*	*	*
Sound Power Level (at LwA)	*	*	LwA 97dB(A)**	LwA 98dB(A)**	LwA 99dB(A)**	LwA 99.3dB(A)**
> GENERATOR						
Max. AC Output (power factor 1.0)	3000VA	2200VA	3600VA	4500VA	5500VA	9000VA
Rated AC Output	2600VA	2000VA	3200VA	4000VA	5000VA	8000VA
DC Rated Output for charging – Automotive Batteries only	12A	8.3A	8.3A	8.3A	8.3A	*
> DIMENSIONS						
LxWxH (mm)	440x400x480	597x435x437	681 x 530 x 571	681 x 530 x 571	844 x 530 x 571 CXS	973 x 552 x 965
Dry Weight	31kg	45kg	71kg	83kg	84kg CX 87kg CXS	162 kg
> FEATURES						
Electric Starter	*	*	*	*	CXS Only (Battery not included)	Yes
Voltage Regulation	Cyclo-Converter	AVR	D-AVR*	D-AVR*	D-AVR*	D-AVR*
Voltmeter	No	No	No	No	No	I-Monitor
AC Circuit Protector	*	*	*	*	*	Yes
DC Circuit Protector	*	*	*	*	*	*
Pilot Lamp	Yes	No	No	No	No	I-Monitor
Fuel Gauge	*	Yes	Yes	Yes	Yes	Yes
Oil Alert	*	*	*	*	*	Yes
Auto Throttle	N/A	N/A	N/A	N/A	N/A	N/A
Auto Choke	No	No	No	No	No	No
Large Capacity Air Cleaner	Yes	Yes	Yes	Yes	Yes	Yes
Large Capacity Fuel Tank	Yes	Yes	Yes	Yes	Yes	Yes
Large Capacity Muffler	Yes	Yes	Yes	Yes	Yes	Yes
4 Year Domestic Warranty*	Yes	Yes	Yes	Yes	Yes	Yes

* With Eco-Throttle switched on when rated at 1/4 output. Usage applications are recommendations only. *D-AVR: Digital Auto Voltage Regulator.

** LwA refers to sound power level and is measured at rated load. This figure can only be compared to other LwA models.



All products purchased from an Authorised Honda Dealer are fully assembled and ready to go.



— BUYER — **BEWARE!**

Honda has always been a market leader in producing quality, innovative and environmentally friendly products. Unfortunately, there are unscrupulous Australian retailers and individuals who want to take advantage of the Honda brand. Some of these retailers and individuals are knowingly importing Honda-branded products that aren't designed for Australian consumers or Australian conditions. These products are often sold without after sales support and warranties that only a genuine Honda product can offer.

ASK YOUR AUTHORISED HONDA DEALER WHAT TO LOOK OUT FOR.

AUTHORISED HONDA DEALERS

400+ National Dealer Network – providing the best advice and after sales service that is only available through specialist service dealers.



STRONGER | CLEANER | QUIETER | STARTS-FIRST-TIME

Disclaimer: All prices listed include GST and are recommended retail prices only, there is no obligation to comply with the recommendation. Limited time offers on RRP end 31/03/2018 or while stocks last. Not all products listed in the brochure are available from every Authorised Power Equipment Dealership. Honda MPE reserves the right to change specifications and price at any time. *4-year warranty applies to Domestic use and does not apply to engines sold as separate units. *2-year warranty applies to Domestic use of HRS, HRR, HRX and HRC models only.

JOIN THE CONVERSATION

 facebook.com/HondaPowerEquipmentAU

 instagram.com/HondaPowerEquipmentAU

 YouTube.com/HondaPowerEquipment

HONDA AUSTRALIA MOTORCYCLES & POWER EQUIPMENT PTY LTD | ABN 96 006 662 862 | powerequipment.honda.com.au | For customer relations, call 1300 559 846

YOUR LOCAL AUTHORISED HONDA DEALER: