

# POWER EQUIPMENT. HONDA. COM. AU



**EU30iu Handy** 

The EU30iu HANDY uses Honda's advanced four-stroke GX160 engine for a maximum power output of 3,000 watts AC, making it ideal for a wide variety of domestic & commercial applications.

## INTRODUCTION

#### A HANDY SOURCE OF POWER

The EU30iu Handy is the lightest and most portable 3000 watt generator Honda's ever made. It features built-in wheels, fixed handles and a folding handle to allow for easy movement of the generator.

It also features a microcomputer-controlled sinewave inverter that guarantees commercial-quality electricity – making it ideal for use with frequency-sensitive electrical equipment such as laptops.

And the EU30iu Handy also uses a high-speed multi-point alternator that is integrated into the engine itself. This technology reduces the overall weight and size by 25% to 50% compared to similarly classed conventional models, making it easy to move around.

#### **MORE FEATURES**

The EU30iu Handy features an Eco-throttle, which adjusts the engine speed to meet the load demand. This increases fuel economy whilst also reducing noise as the engine is not required to run at full capacity unnecessarily.

The generator is Parallel Connection capable. This feature allows two EU30iu Handy generators to be quickly and easily linked using a special parallel connection cable to double your output to 6Kva.

With a low operating noise level and enough power to be used in a wide range of home, recreational and professional uses, the EU30iu Handy incorporates all of Honda's portable power technology.

#### PREMIUM PERFORMANCE & USABILITY

It might seem fairly obvious, but one element of the Handy that sets it apart from the rest is its sturdy fold-down carry handle and large-diameter wheels.

You'll get up to 7.7\* hours of continuous operation on a full fuel tank, it's lightweight (35kg) and last, but not least, the EU30iu Handy is environmentally friendly with low emissions, less noise and low fuel consumption.

\*With eco-throttle switched on at 1/4 output

#### WARRANTY

A 4-Year Domestic Warranty and 1-Year Commercial Warranty ensure that no matter how hard you work your EU30 Handy, Honda's got you covered.

Throw in a 450+ strong network of authorised Honda dealers around Australia, and no matter where you're using your generator, there'll be someone nearby to keep you on the go.

#### **GENERATORS**

Designed and built with user convenience and environmental impact in mind, Honda generators feature advanced four-stroke engines for strong performance and fewer emissions

Honda's four-stroke engines eliminate the need to mix fuel and oil, which saves time and money. They also provide superior fuel efficiency and emit significantly less carbon and noise than most of their two-stroke counterparts

All Honda generators feature Honda's famous 'easy start' system and are backed by extended warranties for peace of mind

#### PERFORMANCE/USABILITY

8.3 Amp/12 Volt DC, maximum 3000W/240 Volt AC can run appliances and charge batteries simultaneously

Starts first time every time reliability with Honda's one pull easy start system

Whisper-quiet operation from 57dB(A)\*/65dB(A)

Runs on unleaded fuel so you'll never have to mix oil and petrol again, and the engine is protected via a low oil alerty system.

### **SPECS**

#### **ENGINE**

ENGINE	GX160K1
DISPLACEMENT	163 (cc)
IGNITION SYSTEM	Transistorized magneto
OIL ALERT	Yes
STARTING SYSTEM	Recoil
STOPPING SYSTEM	Ignition primary circuit ground
RECOMMENDED FUEL	Unleaded
FUEL (APPROX)	1.68 (litres/hr)
FUEL TANK CAPACITY (LITRES)	5.9
CONTINUOUS OPERATING HOURS	7.7hr*/3.5hr
OPERATING NOISE LEVEL (AT 7M)	57dB(A)*/65dB(A)
DIMENSIONS	
DIMENSIONS (LXWXH)	622 x 379 x 489 (mm)
DRY WEIGHT (KG)	35.2 kg
FEATURES	
MAXIMUM AC OUTPUT	3000VA
RATED AC OUTPUT	2600VA
DC OUTPUT (GENERATOR/CHARGER)	8.3A

SATTERY CHARGING Yes	<del></del>
REQUENCY METER No	
OLT METER No	
SENERATOR TYPE Mul	litpole field rotation type (inverter)
ATED VOLTAGE 240	O (V)
ATED FREQUENCY 50 (	(Hz)
UEL GAUGE No	
C CIRCUIT BREAKER Yes	S
C CIRCUIT BREAKER Yes	S
UTO THROTTLE Eco	o-throttle
No No	
ARGE CAPACITY AIR  Yes LEANER	s
ARGE CAPACITY FUEL Yes	s
ARGE CAPACITY MUFFLER Yes	S
Yes Yes	S
IR CLEANER Dry	y paper type
ARALLEL OPERATIONS Yes CONNECTION PORTS	s
CARALLEL OPERATIONS Option CABLE	tional
WHEEL DOLLY KIT No	

RRP	\$3,359
CONDITION	*With eco-throttle switched on at 1/4 output

## **VISIT HONDA POWER EQUIPMENT WEBSITE**

For terms and conditions please visit <a href="http://about.hondampe.com.au/Terms\_and\_Conditions">http://about.hondampe.com.au/Terms\_and\_Conditions</a>

The information in this document is valid as of 04/01/2016. For the most up to date information please visit http://powerequipment.honda.com.au